

WHAT IS CLAIMED IS:

1060

1. A method of reducing or preventing the risk of cutaneous tumor development in skin cells that have not yet been damaged by ultraviolet radiation comprising topical application of at least one composition containing a non-denatured soy product in an amount of from about 0.01 to about 99% by weight in a carrier.

1065

1070

2. The method of claim 1, wherein said composition is applied at least once daily on a continuous basis.

1075

3. The method of claim 1, wherein said composition comprises 0.05-80% by weight of said soy product and is applied for at least about four to about ten weeks followed by topical application of a composition comprising 0.01-20% by weight of said soy product on a daily basis thereafter.

1080

4. The method of claim 1, wherein said composition further comprises a cosmetically acceptable vehicle.

5. The method of claim 1, wherein said composition further comprises at least one anti-inflammatory agent.

1085

6. The method of claim 1, wherein said composition further comprises at least one anti-cancer agent.

1090

7. The method of claim 1, wherein said composition further comprises at least one anti-oxidant.

8. The method of claim 1, wherein said composition further comprises at least one sunscreen.

1095 9. The method of claim 1, wherein said composition further comprises from about 1 to about 99% soy bean milk, from about 0.1 to about 20% emulsifier, and a preservative in an effective amount.

1100 10. The method of claim 9 wherein said composition further comprises an anti-oxidant.

1105 11. The method of claim 9, wherein said composition further comprises an anti cancer agent.

1110 12. The method claim 9, wherein said composition further comprises at least one agent selected from the group consisting of anti-oxidants, sunscreens, moisturizers, bleaching agents, depigmentation agents, darkening agents, surfactants, foaming agents, conditioners, humectants, fragrances, anti-aging agents, anti-inflammatory agents, and anti-cancer agents.

1115 13. The method of claim 1, wherein said composition further comprises from about 0.1 to about 20% soy bean powder or soy milk powder, from about 0.1 to about 20% emulsifier, and a preservative in an effective amount.

1120 14. The method of claim 13, wherein said composition further comprises an anti-cancer agent.

15. The method of claim 13, wherein said composition further comprises an anti-oxidant.

1125 16. The method of claim 13, wherein said composition further comprises at least one compound selected from the group consisting of anti-oxidants, sunscreens,

moisturizers, bleaching agents, depigmentation agents,
darkening agents, surfactants, foaming agents,
1130 conditioners, humectants, fragrances, anti-aging agents,
anti-inflammatory agents, and anti-cancer agents.

17. A method for preventing and reducing the risk of
ultraviolet radiation-induced skin cancer in skin cells
1135 that have not been damaged by ultraviolet radiation
comprising topical application of at least one
composition containing a non-denatured, soy product in
an amount of from about 0.01 to about 99% by weight in a
carrier.

1140 18. The method of claim 17, wherein said composition is
applied at least once daily on a continuous basis.

19. The method of claim 17, wherein said soy product
1145 composition comprises from about 0.05 to about 80% by
weight and is applied for at least about four to about
ten weeks followed by topical application of a
composition comprising 0.01-20% by weight of said soy
product on a daily basis thereafter.

1150 20. The method of claim 17, wherein said composition
further comprises a cosmetically acceptable vehicle.

21. The method of claim 17, wherein said composition
1155 further comprises at least one anti-inflammatory agent.

22. The method of claim 17, wherein said composition
further comprises at least one anti-cancer agent.

1160 23. The method of claim 17, wherein said composition
further comprises at least one anti-oxidant.

24. The method of claim 17, wherein said composition further comprises at least one sunscreen.

1165

25. The method of claim 17, wherein said composition further comprises from about 1 to about 99% soy bean milk, from about 0.1 to about 20% emulsifier, and a preservative in an effective amount.

1170

26. The method of claim 25, wherein said composition further comprises an anti-oxidant.

27. The method of claim 25, wherein said compositions further comprises an anti-cancer agent.

1175

28. The method of claim 25, wherein said composition further comprises at least one compound selected from the group consisting of anti-oxidants, sunscreens, moisturizers, bleaching agents, depigmentation agents, darkening agents, surfactants, foaming agents, conditioners, humectants, fragrances, anti-aging agents, anti-inflammatory agents, and anti-cancer agents.

1180

29. The method of claim 17, wherein said composition further comprises from about 0.1 to about 20% soy bean powder or soy milk powder, from about 0.1 to about 20% emulsifier, and a preservative in an effective amount.

1185

30. The method of claim 29, wherein said composition further comprises an anti-oxidant.

1190

31. The method of claim 29, wherein said composition further comprises an anti-cancer agent.

1195

32. The method of claim 29, wherein said composition further comprises at least one compound selected from the group consisting of anti-oxidants, sunscreens, moisturizers, bleaching agents, depigmentation agents, darkening agents, surfactants, foaming agents, conditioners, humectants, fragrances, anti-aging agents, anti-inflammatory agents, and anti-cancer agents.